# 

# Aquaguard®

# AQUAGUARD NOW WITH DOUBLE GOODNESS OF COPPER AND ZINC<sup>TME</sup>



+Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable limit). \*Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

### **ELECTRIC WATER PURIFIER**

# SUPERB RO+UV+UF



Index No.: 27420 S

#### **Features**

- Patented Active Copper with Zinc Booster<sup>™</sup> Technology
- Patented Mineral Guard<sup>™</sup> Technology
- Ultra-Filtration delivers crystal clear water
- UV e-boiling<sup>™</sup>

#### Dimensions (WxDxH) in mm: 325 x 260 x 475

For Multiple Sources of Water TDS up to 2,000 ppm

### ENHANCE NXT RO+UV+MTDS



#### Index No.: 27456 X

#### **Features**

- Patented Active Copper with Zinc Booster<sup>™</sup> Technology
- Works even at zero water pressure
- Patented Mineral Guard<sup>™+</sup> Technology
- UV e-boiling<sup>™</sup>

her

Taste Adjuster<sup>^</sup>

#### Dimensions (WxDxH) in mm: 316 x 251 x 462

For Multiple Sources of Water TDS up to 2,000 ppm

# **ENHANCE RO+UV**



### Index No.: 27421 T

#### **Features**

- Patented Active Copper with Zinc Booster<sup>1144</sup> Technology
- Patented Mineral Guard<sup>™</sup> Technology
- UV e-boiling™
- Taste Adjuster<sup>^</sup>

#### Dimensions (WxDxH) in mm: 316 x 251 x 462



For Multiple Sources of Water TDS up to 2,000 ppm

# **CRYSTAL NXT UV+**



Index No.: 27422 K

#### **Features**

- Patented Active Copper with Zinc Booster<sup>™</sup> Technology
- Patented Mineral Guard<sup>™</sup> Technology
- UV e-boiling™

#### Dimensions (WxDxH) in mm: 313 x 167 x 423



For Municipal Water TDS up to 200 ppm

# **NON ELECTRIC WATER PURIFIER**

# VACUUM CLEANER

# **PERSONAL PURIFIER 750ML**



Index No.: 27433 K

#### **Features**

- 100% Chemical Free purification process
- Removes 99.9% bacteria and viruses
- Auto shut-off
- Cartridge life: 600 refills



For Municipal Water TDS up to 200 ppm

### TRENDY STEEL



Index No.: 21565 P


#### **Features**

- Variable Power Control
- Automatic Cord Winder
- Dust-Bag Capacity: 3.5 litres

#### **Specifications:**

Suction power: 2150 mm of water column Input power: 1300 W





+Copper and Zinc Infusion in adherence to IS 10600-2012 Drinking water specification (Acceptable limit). "Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper.

# Only Aquaguard<sup>®</sup> gives you



Trust of over 15 million mothers\*\*



Owned by over 1.62 lakh plus doctors



Tested & Certified by over 130 plus leading National and International laboratories



Service within 5 kms. range of wherever you are



Over 21 different technologies to address 21 different water conditions across the country

Copper and Zinc Infusion in adherence to IS 10500:2012 Drinking water specification (Acceptable Limit). \*Double Goodness implies the Goodness of Copper and Zinc as compared to earlier products of Aquaguard with only Copper. \*Patent No. 281750. \*Taste Adjuster refers to Manual TDS controller (MTDS). \*\*As per Superbrands and Reader's Digest. For best use of the product, please refer to the User Guide. \*\*For detailed terms and conditions, please refer the user manual or visit www.eurekaforbes.com Colour/Graphics of the product shown on the carton may vary from the actual. MRP mentioned in the leaflet is subject to change without notice.

# 

For more details please refer to T&C mentioned on the Company's website. CIN: L27310MH2008PLC188478

Corporate Office: B1/B2, 701, 7th Floor, Marathon Innova Marathon NextGen, Off Ganpatrao Kadam Marg, Lower Parel, Mumbai-400 013, India. Tel.: +91 22 4882 1700, 6260 1888 | Fax: + 91 22 4882 1701