

Aquaguard[®]

MIST UV+

USER MANUAL

PRE-REQUISITES FOR INSTALLATION

Product installation should be done only by a trained Eureka Forbes Service Technician only.

1. Input water must be tested for Total Dissolved Solids (TDS) and Total Hardness
 - Install the product in a dry ventilated place. Keep it away from direct sunlight, heating devices or areas below 10°C.
 - The purifier should be placed in area which is free of ants/insects/other pests.
 - Ensure that the input tap water temperature is in the range of 10° - 40°C. Avoid installation to a hot water tap as it can damage the filters.
2. The input water pressure to your water purifier should be within the recommended range (refer variant specific technical specifications table). If the input water pressure is more than specified, installation of a PRV (Pressure Regulating Valve)** is mandatory. If the input water pressure is less than specified, installation of an external booster pump** is recommended.
3. Ensure that the filters are flushed thoroughly and independently for 3-5 minutes to remove fine particles present in the filter, before the installation of the unit.
4. After installation, run the purifier for 5-10 minutes and drain the water.

Input water quality usage limitations:

1. If the input water iron content is more than that prescribed in the technical specifications, use of an iron remover** is recommended as a pre-treatment.
2. If the input water turbidity is more than that prescribed in the technical specifications or comprises colloidal particles, use of a special filter** is required as a pre-filter.
3. If the input water TDS is more than 1,000 ppm (mg/L) or input water hardness is more than 300 ppm (mg/L), use of a Membrane life enhancer** is recommended (applicable only for RO variants).
4. Do not install the water purifier if the TDS is more than that prescribed in the technical specifications.

**Available at an extra cost.

THE PROCESS OF PURIFICATION (For UV+ Variant)

Stage	Treatment	Materials	Benefits
1	Sediment Filter	Multi-layered Polypropylene spun cartridge over the carbon block	Removes fine suspended particles such as dust, dirt mud and sand from water.
2	Chemi-Block™	Dust-free Bacteriostatic Activated Carbon Block	Reduces excess chlorine and organic impurities. Also adsorbs bad taste and odour from the water.
3	UV e-boiling™	Germicidal UV Lamp	UV disinfects the water by eliminating waterborne disease-causing bacteria, viruses and protozoa, thereby, making it safe to drink.
4	Mineral Charge Cartridge	A mineral media that slowly releases essential natural minerals (calcium and magnesium)	Removes residual organic impurities and revives the original taste of water. Increases the level of calcium and magnesium minerals in the purified water and balances pH of water.

TECHNICAL SPECIFICATIONS*

#	TECHNICAL PARAMETER	SPECIFICATION
	Model	AQUAGUARD® MIST UV+
PRODUCT SPECIFICATION		
1	Dimension (W X D X H)	310 mm X 170 mm X 400 mm
2	Net weight	3 Kg (Approx.)
3	Purification Technology	UV
4	Standard Purification supplied	Combination cartridge, UV- E-boiling™, Mineral Charge Cartridge
ELECTRICAL SPECIFICATIONS		
1	Power Rating	18 Watts (Max.)
2	Power Supply	Input 230V AC, 50 Hz
3	UV LAMP	8 Watts
4	UV Lamp life	8000 burning hours (as per UV lamp manufacturer spec.)
5	Operating Voltage Range	150 to 280 V AC, 50 Hz
RECOMMENDED INPUT WATER PARAMETERS		
1	Input water pressure range**	0.3 to 2 kg/cm ²
2	Input Iron content (Max.)	0.1 mg/L
3	Input Chlorine content (Max.)	0.2 mg/L
4	Input water turbidity (Max.)	5 NTU
5	Total Dissolved Solids (TDS)	Up to 200 mg/L
6	Input Water Temperature range	10°C to 40°C

*Technical Specifications are subject to change without prior notice.

Note: The performance data presented in the table is applicable under standard laboratory conditions#. Actual performance may vary depending on the input water quality, water pressure and condition of filters.

** If the pressure is lower than minimum specified, use an external booster pump is recommended. If the pressure is higher than the maximum specified, use of a pressure reducing valve is mandatory.

The above accessories are available with our company at an additional cost.

Performance data sheets are available with Eureka Forbes Technical Documentation Centre.

Warranty void if the product is not installed as per recommendations.

#Standard Test Conditions:

Feed Water Quality: TDS Max: 200 mg/litres with NaCl Pressure: 1.0 kg/cm², Turbidity: Max.1 NTU, Temperature: 25°C, Chlorine: below 0.2 mg/litres, Iron: below 0.3 mg/litres.

#Actual performance may vary based on the input water conditions - TDS, Pressure, Temperature & pH. Standard test Condition are valid for online water supply installation.

STEP-BY STEP GUIDE TO SAFE DRINKING WATER

- i. Fit plug into socket. To switch ON the unit, press the power switch. The Red LED will glow. Both yellow and Green LED's will glow for 2 secs. & Yellow LED will continue glowing for 60 secs. (processing time).
- ii. Green LED will glow after Yellow LED indicating that unit is ready for drawing water.
- iii. To let water flow, press the water switch.
- iv. If water is not drawn from the unit for more than 10 minutes, unit enters into auto shut OFF mode (indicated by the blinking of the Green LED).
- v. To restart the flow, follow either of the following procedure: Press the water switch and wait for 60 seconds (Unit will enter ready condition) OR switch OFF the main switch and restart the unit.

TROUBLE SHOOTING

Problem	Possible Cause	Action
Unit does not turn ON	Loose power cord connection/power cord failure	Fix the plug properly/call authorized Eureka Forbes service technician to check and replace the power cord
	Fault in the main switch	Call authorized Eureka Forbes service technician
Yellow LED blinks	Fault related to UV or SV system	Call authorized Eureka Forbes service technician
Water does not come out of the spout	No input water supply	Check supply of water input
	Choked filter	Flush the sediment filter for smooth flow
	Fault related to solenoid valve	Call authorized Eureka Forbes service technician

WARRANTY TERMS & CONDITIONS*

1. The Products are warranted against manufacturing defects for a period of twelve (12) months from the date of original purchase.
2. The Customer will notify the Company in writing promptly of any defects noticed and give the Company or its authorized agent adequate opportunity to inspect test and remedy them for which the Customer will deposit the goods at its own expense, if so, required by the Company with the Company's Office/Service Centre along with the original invoice in the city where they are sold.
3. The Inspection and Test Report of the company's office/service centre will be final and binding under the warranty for determining defects, repairs / alterations required or carried out or certifying work of the goods thereafter.
4. Aquaguard® may require initial setting, post-installation, depending on varying water conditions and power supply. In case of any service requirement, post-installation, please contact the company's service centre.
5. The company or its authorized agent will be entitled to retain any defective part replaced under the warranty.
6. Notwithstanding anything to the contrary contained or implied by this warranty:
 - a) The company's liability under this warranty shall be limited to the first sale of the goods by the company to the customer and will not apply or extend to any secondary sale of goods by the customer.
 - b) The company's liability under this warranty shall be limited only to defects in the goods which occur under the conditions of normal operation of the goods and their proper and prescribed use. The warranty does not cover or extend to defects which are determined by the company or its authorized agents as occurring or resulting from or attributable to negligence, abuse, misuse, faulty care, operation or maintenance or repairs, alterations to the goods or any part thereof by others or the use of the goods on electrical supply for which they are not designed, or damage caused by lightening or other electrical disturbances or interruptions, dismantling or re-installation at a different location.
 - c) The company's liability under this warranty shall remain valid only if the goods are duly installed by the company or its authorized agency at the location specified in the invoice and such installation is undertaken by the company or its authorized agent or franchisee.
 - d) Consumable items mentioned in the consumables table are subject to normal wear and tear are not covered by this warranty. Please refer model specific components given in the user manual under the table "consumable cartridges".
 - e) Reverse Osmosis Membrane warranty is for a period of 1 year (or) 6,000 litres (whichever is earlier) from the date of installation, on the condition that the input water is as per the standard test conditions for RO variants (provided in the section "Technical specifications table"), mentioned in the user manual. If the RO membrane gets clogged within warranty period, it will be cleaned/repaired/replaced free of charge as deemed fit by the company authorized service person/centre after inspection. (At applicable for RO models only.)
 - f) The customer will have no claim against the company, its employees and its authorized agents or franchisees under or pursuant to this warranty in respect of death or injury to the customer or any other person or loss or damage to any property caused by or due to equipment failure, breakdown or accident, fire or operation or utilization of the goods otherwise than in accordance with the user manual or by due to any other cause or circumstances beyond the control of the company.

WARRANTY TERMS & CONDITIONS*

g) The company's liability, under this warranty, shall in no event and under no circumstances exceed the price paid by the customer to the company for the goods stated in the invoice.

General

For the purpose of this warranty, the following expressions shall have the following meanings respectively:

1. The 'Goods' shall mean the goods described in the Order Form.
2. The 'Customer' shall mean the original purchaser of goods from the company.
3. The 'Company' shall mean EUREKA FORBES LIMITED.
4. Aquaguard means and includes Aquaguard® , Aquaguard® Select and Sure from Aquaguard®.
5. 'General Terms & Conditions' shall mean the terms and conditions agreed upon by the customer and the company printed on the Order Form.
6. 'Invoice' shall mean the invoice issued by the company to the customer describing the goods and indicating, inter alia, the total purchase price thereof and name of the customer.
7. 'User Manual shall mean the instructions for Installation, use and maintenance provided through QR code along with Product supplied by the company.
8. EFL reserves the right, in its absolute discretion, to change, alter or discontinue and alter the terms and conditions from time to time without any prior notice.
9. Any disputes are subject to Mumbai Jurisdiction only.

Post-warranty

1. The customer may be offered a yearly Service Contract at the prevailing company rates and terms.
2. In case the customer does not wish to enter the Service Contract, he has the option of calling the company's service centre having his Aquaguard® services on an actual basis, i.e., by paying the labour cost and spares needed to attend to that service/complaint call at the prevailing company rates. Such service will be rendered by the company in towns/places where the company has its service centres.
3. If during such servicing it is necessary for the company to replace or repair defective components or parts, the customer shall be required to pay for the same as per the company's prevailing price list.
4. Eureka Forbes limited reserves the right to offer annual maintenance contract/ensure availability of spares only up to 7 years from the date of invoice.

*Conditions apply.

ENVIRONMENT PROTECTION:

"Protection" has always been our motto and guiding principle. We care for the environment. We urge you to recycle the packaging material or take it to the nearest recycling facility rather than dispose it off with the rest of your waste. Your product has been designed to work for many years, however, should you wish to upgrade or replace your old product, remember to help protect the environment by disposing it off at your local e-waste disposal center. Should you have any queries, the nearest authorized service center of Eureka Forbes will be able to guide you. Allow us to become your environment partner; together we can make the world a cleaner place.



18602661177



SMS '<REQ>' to 80822 99333

Now buy online on www.eurekaforbes.com



www.facebook.com/EurekaForbes



www.twitter.com/EurekaForbes



Email: deepa.customercare@eurekaforbes.com

Eureka Forbes Limited:

B1/B2, 701, 7th Floor, Marathon Innova Marathon NextGen,
Off Ganpatrao Kadam Marg, Lower Parel, Mumbai - 400 013, India.
Tel: +91 22 4882 1700, 62601888 • Fax: +91 22 4882 1701